ABS

CONTAINER LASHING REIMAGINED

Advancing Container Securing
Through Adaptive, Data-Driven Approaches





AUTHOR:
Christoph Rasewsky, Container Sector Lead, ABS

EXECUTIVE
SUMMARY

Container shipping is operating in an increasingly complex and demanding environment. Vessel sizes continue to grow, container stacks are higher and cargo variability has intensified. At the same time, operators are under pressure to maximize utilization, maintain schedule reliability and prevent cargo loss.

In this context, container lashing must be considered as more than a compliance-driven requirement. It is a critical enabler of safe, efficient and predictable vessel operations. Traditional approaches, while effective in establishing baseline safety margins, are increasingly challenged by the dynamic nature of modern trade and vessel behavior.

This paper examines key industry trends shaping container securing practices and outlines the considerations necessary to support a more adaptive, context-aware approach. It also highlights how evolving methodologies and digital solutions are contributing to improved decision-making across vessel design, cargo planning and voyage execution.

THE CHALLENGE OF
MODERN CONTAINER STOWAGE

Container stowage has always required balancing safety with operational efficiency. However, that balance is becoming more difficult to maintain.

Larger vessels and higher on-deck stowage introduce increasingly complex load interactions within container stacks. At the same time, operational variability including route changes, port omissions and evolving cargo demands requires greater flexibility in planning and execution.

Conventional lashing methodologies have typically relied on generalized assumptions applied across entire voyages. While practical, these approaches may not fully capture the variability of real operating conditions. This can lead to overly conservative loading in some cases and insufficient insight into risk in others.

The central challenge for the industry is to maintain robust safety margins while improving the accuracy and operational relevance of lashing assessments.

EVOLVING
TECHNICAL CONSIDERATIONS

Modern container stacks exhibit nonlinear behavior that is not fully represented in simplified analytical approaches. Factors such as twistlock clearances, lashing rod elasticity, multiple securing points and lashing bridge flexibility can significantly influence force distribution and stack performance.

In parallel, the industry's understanding of cargo loss risk has advanced. Vessel motions, particularly excessive rolling and parametric rolling, are now recognized as critical contributors to container loss events. As a result, container securing must be evaluated not only from a structural standpoint, but also in relation to vessel behavior and environmental conditions encountered during a voyage.

This shift underscores the need for more integrated approaches that combine structural analysis with operational awareness.

KEY CONSIDERATIONS FOR
THE INDUSTRY

1

Enhanced Analytical Fidelity

Improved modeling of container stack behavior is fundamental to modern lashing assessment. Nonlinear analysis methods can better capture real force conditions, supporting more precise safety margins and more informed stowage decisions.

2

Route-Specific Assessment

Voyage conditions vary across different trade routes and even between individual legs of a service. Incorporating route-specific factors into lashing evaluation enables a more precise alignment between securing requirements and expected operating conditions.

3

Seasonal Variability

Environmental conditions change throughout the year, influencing vessel motions and operational exposure. Accounting for seasonal variation can support more tailored and context-sensitive stowage planning.

4

Short-Voyage Optimization

For shorter voyages, particularly those under 72 hours, improved weather forecasting may enable more refined assessments of expected conditions. This creates opportunities to apply differentiated lashing considerations where appropriate.

5

Integration of Rolling Risk

Safe container securing must account for vessel motion in addition to structural limits. Integrating roll-related risk into lashing assessment and operational guidance enhances the industry's ability to recognize and prevent situations which might overstress the cargo system.

6

Operational Usability

Technical rigor alone is insufficient without practical applicability. Lashing assessment tools must be intuitive, efficient and integrated into operational workflows to support both onboard crews and shore-based planners.

TOWARD AN
ADAPTIVE LASHING MODEL

These considerations point toward a more adaptive framework for container securing, integrating advanced analysis with operational context and usability.

Such a model would include:

- Nonlinear representation of container stack behavior
- Incorporation of route- and section-specific conditions
- Consideration of seasonal environmental factors
- Refined approaches for short-duration voyages
- Integration of vessel motion and rolling risk
- Digital tools designed for real-time operational use

The objective is not simply to increase or decrease allowable limits, but to improve their relevance and applicability through better data and contextual awareness.

INDUSTRY
IMPLICATIONS

The transition toward adaptive lashing methodologies has implications across the maritime value chain:

Operators may benefit from improved vessel utilization and more confident stowage planning

Crew members gain clearer insight for operational decision-making

Designers and software providers face increasing expectations for analytical fidelity and system integration

The broader industry moves toward more dynamic, data-informed safety frameworks



ABS
SOLUTIONS

The direction outlined in this paper is consistent with ongoing developments in ABS lashing methodologies and tools. ABS has advanced container securing through the integration of nonlinear analysis techniques, route- and season-sensitive evaluations, and operational guidance linked to vessel motion.

Technical Foundation

ABS *Requirements for the Certification of Container Securing Systems* establishes a nonlinear analytical basis that moves beyond simplified formulas. This approach captures key factors such as mixed lashing configurations, multiple tiers, twistlock clearances, lashing rod behavior and lashing bridge flexibility providing a more representative assessment of modern stack behavior and a stronger foundation for both design and operations.

ABS Eagle C-Lash Application

Translates this methodology into container stack analysis. Designed for speed and precision, it enables rapid evaluation of large numbers of stacks and integrates with onboard loading instruments. By accounting for real-world variables, it supports more accurate and operationally relevant lashing assessments.

ABS Slash Onboard DLL Application

Provides the Dynamic-Link Library (DLL) of ABS Eagle Unified C-Lash for integration into onboard lashing or loading software but also as a lashing force solver for lashing gear suppliers as well as shipowners.

ABS Eagle CRoute Application

Further operationalizes this approach by enabling users to calculate lashing force reduction factors based on defined routes and short-voyage conditions, including weather-informed scenarios under 72 hours. By consolidating multiple inputs into a single tool, it aligns advanced methodology with practical voyage planning needs.

ABS Eagle CRoll Application

Designed for onboard use to help crew members better understand the vessel's rolling behavior. By considering vessel-specific roll motion characteristics together with actual sea conditions. The ABS Eagle CRoll Application provides the insight needed to support informed decision-making to maintain roll angles within predefined limits.

CLP-V(PARR) Notation

Extends this capability by incorporating route-specific conditions and parametric roll guidance. Rather than applying a single set of assumptions across an entire voyage, it enables reduction factors to reflect specific routes, voyage segments, and seasonal variations, supporting optimized stowage while maintaining safety margins.

Rules
establish the analytical foundation

ABS Eagle C-Lash Application
delivers nonlinear stack analysis

CLP-V(PARR) Notation
adds route- and condition-based logic

INTEGRATED
APPROACH
Together, these elements form a cohesive framework.

ABS Slash Onboard DLL Application
applies ABS lashing rules in loading software

ABS Eagle CRoll Application
provides guidance on a vessel's roll behavior

ABS Eagle CRoute Application
introduces lashing force reduction factor calculation in daily operations

This approach reflects a broader industry shift from static compliance models toward adaptive, decision-support frameworks that align with modern vessel operations.

CONCLUSION

Container lashing is evolving into a strategic component of safe and efficient maritime operations. As vessel size, cargo complexity and operational variability increase, traditional approaches must be augmented with more advanced, context-aware methodologies.

A more adaptive model supported by robust analysis, operational insight, and practical digital tools offers a path forward. By enhancing the quality of lashing assessments and aligning them more closely with geographic and season-specific conditions, the industry can strengthen both safety outcomes and operational performance.

Ready to speak with a member of the ABS team about how we can support lashing for your containerships?

Email **ABSMarine@eagle.org** or visit **www.eagle.org/clash.**





1701 City Plaza Dr. I Spring, TX 77389 USA
1-281-877-6000 I www.eagle.org

© 2026 American Bureau of Shipping.
All rights reserved.