

ASSESSMENT OF PARAMETRIC ROLL RESONANCE IN THE DESIGN OF CONTAINER CARRIERS SEPTEMBER 2002

CORRIGENDA/EDITORIALS – 17 December 2004

Page No.	Paragraph	Comments
Section 2	Parametric Roll Criteria	
16	2/2.3	Equation for V_{pr} to read “ $V_{pr} = \frac{19.06 \cdot 2\omega_m - \omega_w }{\omega_w^2}$ ”.
18	2/3	Equation for V_1 to read “ $V_1 = \frac{19.06 \cdot 2\omega_0 - \omega_w }{\omega_w^2}$ ”.
18	2/3	Equation for V_2 to read “ $V_2 = \frac{19.06 \cdot 2\omega_m - \omega_w }{\omega_w^2}$ ”.

Appendix 1	Sample Calculations	
29	Appendix 1, Table 4	Equation for V_{pr} to read “ $V_{pr} = \frac{19.06 \cdot 2\omega_m - \omega_w }{\omega_w^2}$ ”.
32	Appendix 1, Table 6	Add new row before V_1 for ω_0 as follows:

Natural roll frequency in calm water, Rad/s	ω_0	$\omega_0 = (7.854\sqrt{GM})/B$	0.315
---	------------	---------------------------------	-------

32	Appendix 1, Table 6	Equation for V_1 to read “ $V_1 = \frac{19.06 \cdot 2\omega_0 - \omega_w }{\omega_w^2}$ ” and result to read “11.82”.
32	Appendix 1, Table 6	Equation for V_2 to read “ $V_2 = \frac{19.06 \cdot 2\omega_m - \omega_w }{\omega_w^2}$ ” and result to read “21.73”.
32	Appendix 1, Table 8	In first column, “ $V_2 = 11.82$ ” to read “ $V_1 = 11.82$ ” and “ $V_1 = 21.73$ ” to read “ $V_2 = 21.73$ ”

Appendix 3	Criteria for Parametric Roll of Large Containerships in Longitudinal Seas	
41	Appendix 3	Add new Appendix 3.